

/HMIS Msds/HMIS/002/BQVZT.HTM (18 hits)



**MAGNESIUM SULFATE INJECTION**

<u>Product and Company Identification</u>	<u>Physical and Chemical Properties</u>
<u>Composition/Information on Ingredients</u>	<u>Stability and Reactivity</u>
<u>Hazards Identification</u>	<u>Toxicological Information</u>
<u>First Aid Measures</u>	<u>Ecological Information</u>
<u>Fire Fighting Measures</u>	<u>Disposal Considerations</u>
<u>Accidental Release Measures</u>	<u>Transport Information</u>
<u>Handling and Storage</u>	<u>Regulatory Information</u>
<u>Exposure Controls/Personal Protection</u>	<u>Other Information / Hazmat Info / Hazcom Label</u>

MSDS Safety Information

TOP

FSC: 6505      NIIN: 00-216-5371      MSDS Date: 08/10/1992      MSDS Num: BQVZT

Submitter: D DG      Tech Review: 06/15/1993      Status CD: C

Product MAGNESIUM SULFATE INJECTION      MFN: 01

ID:

Article: N

Kit N  
Part:

Responsible Party      Cage: EO410  
Name: FUJISAWA PHARMACEUTICAL CO,DIV OF  
FUJISAWA USA INC

Address: PAKWAY NORTH CENTER, 3 PARKWAY NORTH  
City: DEERFIELD      State: IL      Zip: 60015-2548

Country: US  
Info Phone Number: 708-317-0800

Emergency Phone Number: 708-317-0800, 800-888-7704

Preparer's Name: GREGORY KOLAR

Proprietary Ind: N      Review Ind: Y  
Published: Y      Special Project CD: N

Contractor Summary

TOP

Cage:EO410 Name:FUJISAWA PHARMACEUTICAL CO

Address:PARKWAY NORTH CENTER, 3 PARKWAY

N  
City:DEERFIELD

State:IL

Zip:60015-2548

Country:US

Phone:708-317-0800

Cage:39832 Name:FUJISAWA USA, INC (LYPHOMED, INC)

Address:PARKWAY N CTR 3 PARKWAY NORTH

City:DEERFIELD

State:IL

Zip:60015-2548

Country:US

Phone:708-317-8800, 800-727-7003

Cage:0K706 Name:FUJISAWA USA, INC.

Address:3 PARKWAY NORTH

City:DEERFIELD

State:IL

Zip:60015-2548

Country:US

Phone:708-317-0800 OR 800-888-7704

= Item Description Information =

TOP

Item Manager: S9M

Item Name: MAGNESIUM SULFATE INJECTION,USP

Specification Number: NK

Type/Grade/Class: NK

Unit of Issue: PG

Quantitative Expression: 0000000010EA

UI Container Qty: 10X10 ML

Type of Container: PACKAGE

Ingredients

TOP

Cas: 10034-99-8

Code: M

RTECS #: 1000134SU Code: M

Name: SULFATE SALTS 100-200 MG/ML

% Text: N/P

Environmental Wt:

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED Code: M

OSHA Code:

ACGIH TLV: NOT ESTABLISHED Code: M

ACGIH N/P Code:

EPA Rpt Qty:

STEL: Code:  
DOT Rpt Qty:

Ozone Depleting Chemical: N

Cas: 7732-18-5

Code: M

RTECS #: ZC0110000 Code: M

Name: WATER

% Text: N/K

Environmental Wt:

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED Code: M

OSHA Code:

ACGIH TLV: NOT ESTABLISHED Code: M

ACGIH N/P Code:

EPA Rpt Qty:

STEL:

DOT Rpt Qty:

Ozone Depleting Chemical: N

Health Hazards Data

TOP

LD50 LC50 Mixture UNKNOWN

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Health Hazards Acute And Chronic

EYE, SKIN AND RESPIRATORY TRACT IRRITATION MAY OCCUR.

Explanation Of Carcinogenicity

N/P

Signs And Symptions Of Overexposure

IRRITATION.

Medical Cond Aggravated By Exposure

NONE KNOWN

First Aid Information

TOP

EYE-FLUSH PROMPTLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. SKIN-WASH WITH SOAP & WATER; THEN FLUSH WITH WATER UNTIL CHEMICAL IS REMOVED. INGESTION-RINSE MOUTH WITH WATER, DRINK 2 TO 4 GLASSES OF WATER AND IMMEDIATELY GET MEDICAL HELP. INHALATION-RMOVE TO FRESH AIR.

Spill Release Procedures

TOP

WIPE OR MOP UP AND PLACE IN A CONTAINER FOR DISPOSAL. FLUSH RESIDUE AWAY WITH WATER.

**Neutralizing Agent**

NOT APPLICABLE

**Waste Disposal Methods**

TOP

DISPOSE OF IN ACCORDANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

**Handling and Storage Precautions**

TOP

STORE BETWEEN 2 AND 8C. KEEP CONTAINER TIGHTLY CLOSED. PROTECT FROM PHYSICAL DAMAGE.

**Other Precautions**

KEEP OUT OF REACH OF CHILDREN. FOR THERAPEUTIC USE ONLY.AVOID CONTACT.

**Fire and Explosion Hazard Information**

TOP

Flash Point Method: N/P

Flash Point:

Flash Point Text: N/A

Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits: N/R

Upper Limits: N/R

**Extinguishing Media**

USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

**Fire Fighting Procedures**

WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

**Unusual Fire/Explosion Hazard**

COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

**Control Measures**

TOP

**Respiratory Protection**

NONE REQUIRED UNDER NORMAL USE.

**Ventilation**

NATURAL VENTILATION IS ADEQUATE.

**Protective Gloves**

WEAR GLOVES

**Eye Protection**

SAFETY GOGGLES

**Other Protective Equipment**

WEAR REGULAR WORK CLOTHES, INCLUDING LONG-SLEEVED SHIRT & TROUSERS.

**Work Hygienic Practices**

USE NORMAL PERSONAL HYGIENE AND FOLLOW GOOD HOUSEKEEPING PRACTICES.

**Supplemental Safety and Health**

THIS PRODUCT IS INTENDED FOR THERAPEUTIC USE ONLY. OCCUPATIONAL HAZARDS ARE NOT FULLY UNDERSTOOD.

**Physical/Chemical Properties**TOP

HCC: N1

NRC/State LIC No: N/R

Net Prop WT For Ammo: N/R

Boiling Point:

B.P. Text: N/K

Melt/Freeze Pt:

M.P/F.P Text: N/K

Decomp Temp:

Decomp Text: UNKNOWN

Vapor Pres: N/K

Vapor Density: N/K

Volatile Org Content %:

Spec Gravity: N/K

VOC Pounds/Gallon:

PH: 5.5

VOC Grams/Liter:

Viscosity: N/P

Evaporation Rate &amp; N/K

Reference:

Solubility in Water: COMPLETE

Appearance and Odor: CLEAR, COLORLESS SOLUTION, ODORLESS.

Percent Volatiles by Volume: N/K

Corrosion Rate: UNKNOWN

---

*Seton Resource Center*

---

*Allow access to non-virtual folders: 0***Reactivity Data**TOP

Stability Indicator: YES

Stability Condition To Avoid: HIGH HEAT.

Materials To Avoid: NONE

Hazardous Decomposition TOXIC OXIDES OF SULFUR.

Products:

Hazardous Polymerization NO

Indicator:

Conditions To Avoid NONE KNOWN.

Polymerization:

**Toxicological Information**TOP

Toxicological Information: N/P

Ecological Information

TOP

Ecological: N/P

MSDS Transport Information

TOP

Transport Information: N/P

Regulatory Information

TOP

Sara Title III Information: N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Other Information

TOP

Other N/P  
Information:

HMIS Transportation Information

TOP

Responsible Party Cage: EO410

Trans ID NO: 56870

Product ID: MAGNESIUM SULFATE INJECTION

MSDS Prepared Date: 08/10/1992

Review Date: 06/15/1993

MFN: 1

Submitter: D DG

Status C  
CD:

Article W/O MSDS: N  
Radioactivity:

Tech Entry NOS Shipping Nm:  
Form:

Net Explosive Weight:  
Coast Guard AMMO Code:

Magnetism: N/P

Net Unit Weight:  
DOD Exemption NUM:

AF MMAC Code:  
Limited Quantity IND:

Multiple KIT Number: 0  
Kit Part IND: N

Kit IND: N  
Review IND: Y

Unit Of Issue: PG  
Type Of Container: PACKAGE

Container QTY: 10X10 ML

Additional Data: PER MFR NOT REGULATED.

Detail DOT Information

TOP

DOT PSN Code: ZZZ

Symbols: N/R

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

DOT PSN Modifier:

Hazard Class: N/R

UN ID Num: N/R

DOT Packaging Group: N/R

Label: N/R

Special Provision: N/R

Packaging Exception: N/R

Non Bulk Pack: N/R

Bulk Pack: N/R

Max Qty Pass: N/R

Max Qty N/R

Cargo:

Vessel Stow Req: N/R

Water/Ship/Other Req: N/R

Detail IMO Information

[TOP](#)

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

IMO PSN Modifier:

IMDG Page Number: N/R

UN Number: N/R

UN Hazard Class: N/R

IMO Packaging Group: N/R

Subsidiary Risk Label: N/R

EMS Number: N/R

MED First Aid Guide NUM: N/R

Detail IATA Information

[TOP](#)

IATA PSN Code: ZZZ

IATA UN ID NUM: N/R

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

IATA PSN Modifier:

IATA UN Class: N/R

Subsidiary Risk N/R  
Class:

IATA Label: N/R

UN Packing Group: N/R

Packing Note Passenger: N/R

Max Quant Pass: N/R

Max Quant Cargo: N/R

Packaging Note Cargo: N/R

Exceptions: N/R

Detail AFI Information

[TOP](#)

AFI PSN Code: ZZZ

AFI Symbols:

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

AFI PSN Modifier:

AFI Hazard Class: N/R

AFI UN ID NUM: N/R

AFI Packing Group: N/R

AFI Label: N/R

Special Provisions: N/A

Back Pack Reference: N/A

HMIS HAZCOM Label

TOP

Product ID: MAGNESIUM SULFATE INJECTION

Cage: EO410

Assigned IND: Y

Company FUJISAWA PHARMACEUTICAL CO

Name:

Street: PARKWAY NORTH CENTER, 3 PARKWAY N

PO Box:

City: DEERFIELD

State: IL

Zipcode: 60015-2548

Country: US

Health Emergency Phone: 708-317-0800, 800-888-7704

Label Required IND: N

Date Of Label Review: 06/15/1993

Status Code: C

MFG Label NO:

Label Date: 06/15/1993

Year Procured: N/K

Origination Code: Z

Chronic Hazard IND: N/P

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: N/P

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

**Hazard And Precautions**

THIS PRODUCT IS INTENDED FOR THERAPEUTIC USE ONLY. OCCUPATIONAL EXPOSURE IS NOT FULLY KNOWN. EYE, SKIN AND RESPIRATORY TRACT IRRITATION MAY OCCUR. DO NOT FREEZE. STORE BETWEEN 2 AND 8C. PROTECT FROM PHYSICAL DAMAGE. FIRST AID: EYE-FLUSH PROMPTLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. SKIN- WASH WITH SOAP & WATER; THEN FLUSH WITH WATER UNTIL CHEMICAL IS REMOVED. INGESTION-RINSE MOUTH WITH WATER, DRINK 2 TO 4 GLASSES OF WATER AND IMMEDIATELY GET MEDICAL HELP. INHALATION-REMOVE TO FRESH AIR.